

产品一览

2024

接线端子选型手册

Terminal Block Selection Manual



JIAJI 佳绩

关于我们 Company profile

佳绩成立于2013年，坐落于浙江宁波。是一家从事接线端子研发、设计、加工、生产、销售及服务一体的专业制造商。佳绩目前拥有宁波佳绩机电科技有限公司、佳绩电子科技(宁波)有限公司两家公司。

经过10年的发展，佳绩拥有完善的研发团队，有产品设计、制程研发、模具设计等研发专业人员。公司产品包含：螺钉式PCB接线端子、插拔式接线端子、弹簧PCB式接线端子、贯通式接线端子、栅栏式接线端子、连接器等系列。产品广泛应用与电力控制、工业自动化控制、新能源、电梯、仪器仪表、通讯、电源、安防、照明、轨道交通等相关领域。同时可为客户提供ODM/OEM服务，提供最优的解决方案。

佳绩设有独立的研发中心、模具部、冲压部、注塑部、自动化生产车间等、有较高的生产制程管控能力，公司通过ISO9001质量管理体系认证，严格按照产品标准进行生产，使其在每一个环节都能得到有效的控制。为客户提供更稳定安全的接线方式。

佳绩始终以“服务至上、诚信为本”为核心价值观，以“创新研发、质量为先”为企业发展的生命线，秉承“真诚服务，互惠双赢”的原则与广大客户友好合作、共谋发展！

Jia Ji was founded in 2013 and is located in Ningbo, Zhejiang Province. Is a professional manufacturer engaged in terminal research and development, design, processing, production, sales and service. Jiaji currently has Ningbo Jiaji Electromechanical Technology Co., Ltd. and Jiaji Electronic Technology (Ningbo) Co., LTD. Two companies.

After 10 years of development, Jiaji has a perfect R & D team, with product design, process research and development, mold design and other R & D professionals. The company's products include: screw type PCB terminal, plug and pull terminal, spring PCB terminal, through type terminal, fence type terminal, connector and other series. Products are widely used in power control, industrial automation control, new energy, elevator, instrumentation, communication, power supply, security, lighting, rail transit and other related fields. At the same time, we can provide customers with ODM/OEM services and provide the best solution.

Jiji has an independent R & D center, mold department, stamping department, injection molding department, automatic production workshop, etc., has a high production process control ability, the company passed the ISO9001 quality management system certification, in strict accordance with product standards for production, so that it can be effectively controlled in every link. To provide customers with more stable and safe wiring methods.


Jiaji has always been "service first, integrity-based" as the core values, to "innovation research and development, quality first" as the lifeline of enterprise development, adhering to the "sincere service, mutual benefit and win-win" principle with our customers friendly cooperation and seek common development!



螺钉式接线端子 PCB SCREW TERMINAL BLOCK

螺钉式PCB接线端子, 设计兼顾了结构紧凑, 接线方便, 有效防止振动, 无需定期维护的特点, 提供多种进线角度和单层/多层接线方式, 可以连接截面为 0.08 mm^2 至 35 mm^2 的所有类型的导线, 间距 2.54 mm 至 15.0 mm 可供选择。产品设计符合IEC60947, UL1059、CSA C22.2 No.158等国际标准。

Screw type PCB terminal, the design takes into account the characteristics of compact structure, easy connection, effective vibration prevention, no regular maintenance, provides a variety of Angle and single/multi-layer connection, can connect the cross section of 0.08 mm^2 to 35 mm^2 all types of wire, Pitch 2.54 mm to 15.0 mm available. The product design conforms to IEC60947, UL1059, CSA C22.2 No.158 and other international standards.



NB300-5.0 	NB300R-5.0 	NB305-5.0 	NB370-7.5 	NB375-7.5 	NB301-5.0 
5.0mm	5.0mm	5.0mm	7.5mm	7.5mm	5.0mm
250V/16A	250V/16A	250V/16A	250V/16A	250V/16A	250V/16A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
NB301R-5.0 	NB306-5.0 	NB331-5.0 	NB332K-5.0 	NB333K-3.5 	NB335K-3.5 
5.0mm	5.0mm	5.0mm	5.0mm	3.5mm	3.5mm
250V/16A	250V/16A	300V/12A	300V/10A	300V/8A	300V/10A
2P,3P	2P,3P	2P-24P	2P,3P	2P,3P	2P,3P
22-14AWG	22-14AWG	28-14AWG	28-16AWG	28-16AWG	26-16AWG
NB332J-5.0 	NB333J-3.5 	NB350-3.5/NB396-3.96 	NB350R-3.5/NB396-3.96 	NB126-5.0 	NB126R-5.0 
5.0mm	3.5mm	3.5mm, 3.96mm	3.5mm, 3.96mm	5.0mm	5.0mm
300V/10A	300V/8A	300V/10A	300V/10A	300V/8A	300V/8A
2P-24P	2P-24P	2P,3P	2P,3P	2P,3P	2P,3P
		24-18AWG	24-18AWG	26-14AWG	26-14AWG
NB166-5.0 	NB166-7.5 	NB167-5.0 	NB167R-5.0 	NB103-5.0 	NB122-5.0 
5.0mm	7.5mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/16A	300V/10A
2P-24P	2P-18P	2P-24P	2P-24P	2P,3P	2P-24P
26-14AWG	26-14AWG	26-12AWG	26-12AWG	24-12AWG	22-14AWG
NB125-5.0/5.08 	NB125R-5.0/5.08 	NB127-5.0/5.08 	NB127R-5.0/5.08 	NB127L-5.08 	NB128-5.0/5.08 
5.0mm, 5.08mm	5.0mm, 5.08mm	5.0mm, 5.08mm	5.0mm, 5.08mm	5.08mm	5.0mm, 5.08mm
300V/16A	300V/16A	300V/12A	300V/12A	300V/12A	300V/16A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-12AWG	22-12AWG	26-14AWG	26-14AWG	26-14AWG	22-12AWG


NB128-7.5/7.62	NB128R-5.0/5.08	NB128R-7.5/7.62	NB128E-5.0	NB128E-7.5	NB129-5.0/5.08
					
7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm	7.5mm	5.0mm,5.08mm
300V/16A	300V/16A	300V/16A	300V/16A	300V/16A	300V/20A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	26-12AWG
NB129-7.5/7.62	NB129R-5.0/5.08	NB129R-7.5/7.62	NB130-5.0/5.08	NB130-7.5/7.62	NB130T2-5.0/5.08
					
7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2x2P,2x3P
26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG
NB130T2A-5.0/5.08	NB130T2B-5.0/5.08	NB130T3A-5.0/5.08	NB131-5.08	NB635-6.35	NB635VK-6.35
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	6.35mm	6.35mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/30A	600V/30A
2x2P,2x3P	2x2P,2x3P	3x2P,3x3P	2P,3P	2P,3P	2P-18P
26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-10AWG	24-10AWG
NB635VK-8.25	NB636-6.35	NB750-7.5	NB762-7.62	NB950-9.5	NB116V-10.16
					
8.25mm	6.35mm	7.5mm	7.62mm	9.5mm	10.16mm
600V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/52A
2P-18P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
24-10AWG	26-10AWG	26-10AWG	26-10AWG	26-10AWG	20-6AWG
NB116VW-10.16	NB116VK-10.16	NB116VK-12.7	NB117-12.7	NB118-15.0	NB118M-15.0
					
10.16mm	10.16mm	12.7mm	12.7mm	15.0mm	15.0mm
600V/65A	600V/65A	600V/65A	600V/65A	600V/115A	600V/115A
2P,3P	1P-14P	2P-14P	2P,3P	1P-12P	2P-10P
20-6AWG	20-6AWG	20-6AWG	20-6AWG	20-2AWG	20-2AWG























NB118ML-15.0	NB300R-5.0	NB410-10.0	NB1010-10.0	NBxD350-3.5/NBxD381-3.81	NBxD508-5.08	NBA500-5.0
						
15.0mm	5.0mm	10.0mm	10.0mm	3.5mm,3.81mm	5.08mm	5.0mm
600V/115A	300V/15A	300V/20A	300V/30A	300V/10A	300V/15A	300V/12A
1P	2P,3P	1P-24P	1P-24P	2P-24P	2P-24P	2x2P,2x3P
20-2AWG	28-14AWG	26-12AWG	26-10AWG	26-16AWG	26-14AWG	26-14AWG
NB127B-5.08	NBEK254-2.54	NBEK350-3.5/NBEK381-3.81	NBEEK350-3.5/NBEEK381-3.81	NBEK350A-3.5/NBEK381A-3.81	NBEK350B-3.5/NBEK381B-3.81	NB128A-5.0/5.08
						
5.08mm	2.54mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	5.0mm,5.08mm
300V/15A	150V/7A	300V/10A	300V/10A	300V/10A	300V/15A	300V/15A
2x2P,2x3P	2P-24P	2P,3P	2P,3P	2x2P,2x3P	2x2P,2x3P	2P-24P
26-14AWG	26-18AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	26-14 AWG
NB128B-5.0/5.08	NBEK500-5.0/NBEK508-5.08	NBEEK500-5.0/NBEEK508-5.08	NB3EK500-5.0/NB3EK508-5.08	NBEK500A-5.0/NBEK508A-5.08	NBEK500B-5.0/NBEK508B-5.08	NB2EK500A-5.0/NB2EK508A-5.08
						
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P,3P	2P,3P	2P,3P	2x2P,2x3P	2x2P,2x3P	2x2P,2x3P
26-14 AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG
NB2EK500B-5.0/NB2EK508B-5.08	NB3EK500A-5.0/NB3EK508A-5.08	NB3EK500B-5.0/NB3EK508B-5.08	NB105R-5.0	NB105V-5.0	NB105RA-5.0	NB105VA-5.0
						
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/20A	300V/20A	300V/20A	300V/20A
2x2P,2x3P	3x2P,3x3P	3x2P,3x3P	1P-30P	1P-30P	1P-30P	1P-30P
30-14AWG	30-14AWG	30-14AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG
NB105R-7.5	NB105V-7.5	NB105RA-7.5	NB105VA-7.5	NBDS4-7.5	NB123-5.0/5.08	
						
7.5mm	7.5mm	7.5mm	7.5mm	7.5mm	5.0mm,5.08mm	
300V/20A	300V/20A	300V/20A	300V/20A	300V/30A	300V/20A	
1P-30P	1P-30P	1P-30P	1P-30P	1P-30P	2P-24P	
26-12AWG	26-12AWG	26-12AWG	26-12AWG	24-10AWG	30-12AWG	

插拔式接线端子 PLUG-IN TERMINAL BLOCK

插拔式接线端子,设计上结合了现场维护便捷插拔和连接可靠两大优点,提供插头直锁式及免锁式多种接线方式,可以连接截面为 0.08mm^2 至 16mm^2 的所有类型导线,间距 2.5mm 至 10.16mm 可供选择,根据需要选择进线方向,连接方向,插拔方向。产品设计符合IEC60998、IEC61984、UL1059、UL486E、CSA C22.2 No.158等国际标准。




Plug and pull terminal, the design combines the two advantages of convenient plug and plug and reliable connection, provides a variety of plug lock and lock-free wiring methods, can connect the section of 0.08mm^2 to 16mm^2 of all types of wires, spacing 2.5mm to 10.16mm to choose, according to the need to choose the direction of the line, connection direction, Insertion and removal direction. The product design conforms to IEC60998, IEC61984, UL1059, UL486E, CSA C22.2 No.158 and other international standards.



NB15EDGKD-2.5	NB15EDGVC-2.5/2.54	NB15EDGRC-2.5/2.54	NB15EDGVH-2.5	NB15EDGRH-2.5	NB15EDGKN-3.5/3.81
					
2.5mm	2.5mm,2.54mm	2.5mm,2.54mm	2.5mm	2.5mm	3.5mm,3.81mm
150V/5A	150V/5A	150V/5A	150V/5A	150V/5A	300V/8A
2P-24P	2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2P-24P
26-20AWG					24-16AWG
NB15EDGKNG-3.5/3.81	NB15EDGKNM-3.5/3.81	NB15EDGKN-B-3.5/3.81	NB15EDGKNM-B-3.5/3.81	NB15EDGKNG-B-3.5/3.81	NB15EDGKN-B-3.5-1000A
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG
NB15EDGKNM-B-3.5-1000A	NB15EDGKNG-B-3.5-1000A	NB15EDGKNH-3.5	NB15EDGKNHM-3.5	NB15EDGKNHG-3.5	NB15EDGKNHB-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/9.5A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	26-16AWG
NB15EDGKNHBM-3.5	NB15EDGKNHBG-3.5	NB15EDGKSH-3.5	NB15EDGKSHM-3.5	NB15EDGVC-THR-3.5/3.81	NB15EDGRC-THR-3.5/3.81
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/9.5A	300V/9.5A	150V/7A	150V/7A	300V/8A	300V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2P-24P	2P-24P
26-16AWG	26-16AWG	28-18AWG	28-18AWG		
NB15EDGVM-THR-3.5/3.81	NB15EDGRM-THR-3.5/3.81	NB15EDGVHB-THT-3.5/3.81	NB15EDGRHB-THT-3.5/3.81	NB15EDGVHBM-THT-3.5/3.81	NB15EDGRHBM-THT-3.5/3.81
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)

NB15EDGVHBN-THT-3.5/3.81	NB15EDGRHBN-THT-3.5/3.81	NB15EDGVHC-THR-3.5	NB15EDGVHCM-THR-3.5	NB15EDGRHC-THR-3.5	NB15EDGRHCM-THR-3.5
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	150V/8A	150V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVHS-THR-3.5	NB15EDGVHSC-THR-3.5	NB15EDGVHSM-THR-3.5	NB15EDGRHS-THR-3.5	NB15EDGRHSC-THR-3.5	NB15EDGRHSM-THR-3.5
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
150V/7A	150V/7A	150V/7A	150V/7A	150V/7A	150V/7A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVHS-3.5	NB15EDGVHSC-3.5	NB15EDGVHSM-3.5	NB15EDGRHS-3.5	NB15EDGRHSC-3.5	NB15EDGRHSM-3.5
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
150V/7A	150V/7A	150V/7A	150V/7A	150V/7A	150V/7A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGK-2.54	NB15EDGK-3.5/3.81	NB15EDGKM-3.5/3.81	NB15EDGKA-3.5/3.81	NB15EDGKAM-3.5/3.81	NB15EDGKB-3.5/3.81
2.54mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
150V/5A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
26-20AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG
NB15EDGKBM-3.5/3.81	NB15EDGKC-3.81	NB15EDGKCM-3.81	NB15EDGKDBG-3.81	NB15EDGKD-3.5/3.81	NB15EDGKDM-3.5/3.81
3.5mm,3.81mm	3.81mm	3.81mm	3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG

NB15EDGKDH-3.5/3.81	NB15EDGKDHM-3.5/3.81	NB15EDGB-3.5/3.81	NB15EDGBM-3.5/3.81	NB15EDGA-3.5/3.81	NB15EDGAM-3.5/3.81
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-16AWG				
NB15EDGBG-3.5	NB15EDGAG-3.5	NB15EDGKR-3.81	NB15EDGKRM-3.81	NB15EDGKRN-3.81	NB15EDGKNR-3.5
					
3.5mm	3.5mm	3.81mm	3.81mm	3.81mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
		28-16AWG	28-16AWG	28-16AWG	24-16AWG
NB15EDGKNRT-3.5	NB15EDGKNRG-3.5	NB15EDGGB-3.81	NB15EDGGBM-3.81	NB15EDGVC-3.5/3.81	NB15EDGRC-3.5/3.81
					
3.5mm	3.5mm	3.81mm	3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
24-16AWG	24-16AWG	28-16AWG	28-16AWG		
NB15EDGVG-3.5/3.81	NB15EDGRG-3.5/3.81	NB15EDGVM-3.5/3.81	NB15EDGRM-3.5/3.81	NB15EDGLC-3.5/3.81	NB15EDGRMG-3.81
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
NB15EDGVMG-3.81	NB15EDGLM-3.5/3.81	NB15CDGM-3.81	NB15EDGVF-3.81	NB15EDGK-5.08	NB15EDGKM-5.08
					
3.81mm	3.5mm,3.81mm	3.81mm	3.81mm	5.08mm	5.08mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
				28-16AWG	28-16AWG

NB15EDGVC-5.08	NB15EDGRC-5.08	NB15EDGVM-5.08	NB15EDGRM-5.08	NB15EDGVT-3.5/3.81	NB15EDGVTM-3.5/3.81
					
5.08mm	5.08mm	5.08mm	5.08mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)
NB15EDGRT-3.5/3.81	NB15EDGRTM-3.5/3.81	NB15EDGVH-3.5/3.81	NB15EDGVHM-3.5/3.81	NB15EDGRH-3.5/3.81	NB15EDGRHM-3.5/3.81
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVH3C-3.5	NB15EDGVH3N-3.5	NB15EDGVH3M-3.5	NB15EDGRH3C-3.5	NB15EDGRH3N-3.5	NB15EDGRH3M-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)
NB15EDGVH3C-THT-3.5	NB15EDGVH3N-THT-3.5	NB15EDGVH3M-THT-3.5	NB15EDGRH3C-THT-3.5	NB15EDGRH3N-THT-3.5	NB15EDGRH3M-THT-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)
NB2EDGK-5.0/5.08	NB2EDGK-7.5/7.62	NB2EDGK-10.0/10.16	NB2EDGKM-5.0/5.08	NB2EDGKM-7.5/7.62	NB2EDGKM-10.0/10.16
					
5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	300V/15A	600V/15A	300V/15A	300V/15A	600V/15A
2P-24P	2P-24P	2P-12P	2P-24P	2P-24P	2P-12P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG

NB2EDGKH-5.08	NB2EDGKHM-5.08	NB2EDGKA-5.0/5.08	NB2EDGKA-7.5/7.62	NB2EDGKAM-5.0/5.08	NB2EDGKAM-7.5/7.62
					
5.08mm	5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKB-5.0/5.08	NB2EDGKB-7.5/7.62	NB2EDGKBM-5.0/5.08	NB2EDGKBM-7.5/7.62	NB2EDGKAH-5.08	NB2EDGKAHM-5.08
					
5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.08mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKC-5.0/5.08	NB2EDGKCM-5.0/5.08	NB2EDGKD-5.0/5.08	NB2EDGKDM-5.0/5.08	NB2EDGKDG-5.0/5.08	NB2EDGKD-7.5/7.62
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P/2P-16P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDM-7.5/7.62	NB2EDGKDG-7.5/7.62	NB2EDGKDA-5.0/5.08	NB2EDGKDAM-5.0/5.08	NB2EDGKDB-5.0/5.08	NB2EDGKDBM-5.0/5.08
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P/2P-16P	2P-24P/2P-16P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDH-5.08	NB2EDGKDHM-5.08	NB2EDGKDHG-5.08	NB2EDGKDF-5.0/5.08	NB2EDGKDFM-5.0/5.08	NB2EDGKDFG-5.0/5.08
					
5.08mm	5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG

NB2EDGKF-5.0/5.08	NB2EDGKFM-5.0/5.08	NB2EDGKJ-5.08	NB2EDGKZ-5.0/5.08	NB2EDGKZM-5.0/5.08	NB2EDGKL-3.81
					
5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	3.81mm
300V/15A	300V/15A	300V/18A	300V/15A	300V/15A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	30-12AWG	28-12AWG	28-12AWG	28-16AWG
NB2EDGKLM-3.81	NB2EDGKL-5.08	NB2EDGKLM-5.08	NB2EDGKN-5.0/5.08	NB2EDGKNM-5.0/5.08	NB2EDGKNG-5.0/5.08
					
3.81mm	5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/8A	300V/15A	300V/15A	300V/12A	300V/12A	300V/12A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-12AWG	28-12AWG	24-16AWG	24-16AWG	24-16AWG
NB2EDGB-5.0/5.08	NB2EDGBM-5.0/5.08	NB2EDGA-5.0/5.08	NB2EDGAM-5.0/5.08	NB2EDGB-7.62	NB2EDGBM-7.62
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-16P	2P-16P
NB2EDGA-7.62	NB2EDGAM-7.62	NB2EDGV-3.81	NB2EDGV-5.0/5.08	NB2EDGV-7.5/7.62	NB2EDGV-10.0/10.16
					
7.62mm	7.62mm	3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	300V/15A	300V/8A	300V/15A	300V/15A	300V/15A
2P-16P	2P-16P	2P-24P	2P-24P	2P-24P	2P-24P
NB2EDGR-3.81	NB2EDGR-5.0/5.08	NB2EDGR-7.5/7.62	NB2EDGR-10.0/10.16	NB2EDGKM-7.5/7.62	NB2EDGVC-5.0/5.08
					
3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	3.81mm	5.0mm,5.08mm
300V/8A	300V/15A	300V/15A	600V/15A	300V/8A	300V/15A
2P-24P	2P-24P	2P-24P	2P-12P	2P-24P	2P-24P

NB2EDGVC-7.5/7.62	NB2EDGVC-10.0/10.16	NB2EDGRC-3.81	NB2EDGRC-5.0/5.08	NB2EDGRC-7.5/7.62	NB2EDGRC-10.0/10.16
					
7.5mm,7.62mm	10.0mm,10.16mm	3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	600V/15A	300V/8A	300V/15A	300V/15A	600V/15A
2P-24P	2P-12P	2P-24P	2P-24P	2P-24P	2P-12P
NB2EDGVM-3.81	NB2EDGVM-5.0/5.08	NB2EDGVM-7.5/7.62	NB2EDGVM-10.0/10.16	NB2EDGRM-3.81	NB2EDGRM-5.0/5.08
					
3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	3.81mm	5.0mm,5.08mm
300V/8A	300V/15A	300V/15A	600V/15A	300V/8A	300V/15A
2P-24P	2P-24P	2P-24P	2P-12P	2P-24P	2P-24P
NB2EDGRM-7.5/7.62	NB2EDGRM-10.0/10.16	NB2EDGRR-5.0/5.08	NB2EDGRC-5.0/5.08	NB2EDGRRM-5.0/5.08	NB2EDGVG-5.08
					
7.5mm,7.62mm	10.0mm,10.16mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm
300V/15A	600V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-12P	2P-24P	2P-24P	2P-24P	2P-24P
NB2EDGRG-5.08	NB2EDGV-THT-5.0/5.08	NB2EDGVC-THT-5.0/5.08	NB2EDGVM-THT-5.0/5.08	NB2EDGR-THT-5.0/5.08	NB2EDGRC-THT-5.0/5.08
					
5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
NB2EDGRM-THT-5.0/5.08	NB2EDGLF-5.0	NB2EDGRF-5.0	NB2EDGVT-5.0/5.08	NB2EDGVTM-5.08	NB2EDGRT-5.0/5.08
					
5.0mm,5.08mm	5.0mm	5.0mm	5.0mm,5.08mm	5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-4P	2P-4P	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)

NB2EDGRTM-5.08	NB2EDGVTC-5.0/5.08	NB2EDGRTC-5.0/5.08	NB2EDGVH-5.0/5.08	NB2EDGVHM-5.0/5.08	NB2EDGRH-5.0/5.08
					
5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB2EDGRHM-5.0/5.08	NB2EDGRHB-THR-5.0	NB2EDGRHBM-THR-5.0	NB2EDGRHBN-THR-5.0	NB2EDGVHB-THR-5.0	NB2EDGVHBM-THR-5.0
					
5.0mm,5.08mm	5.0mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB2EDGVHBN-THR-5.0	NB2EDGJ-5.08	NB2EDGL-5.0/5.08	NB2EDGLC-5.0/5.08	NB2EDGLM-5.0/5.08	NB2EDGKR-5.08
					
5.0mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm
300V/15A	300V/18A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P 28-12AWG
NB2EDGKRM-5.08	NB2EDGKRN-5.08	NB2EDGKRL-5.08	NB2EDGKR-7.62	NB2EDGKRM-7.62	NB2EDGKRN-7.62
					
5.08mm	5.08mm	5.08mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDR-5.0/5.08	NB2EDGKDRM-5.0/5.08	NB2EDGKDRN-5.0/5.08	NB2EDGKDRG-5.0/5.08	NB2EDGKRZ-5.08	NB2EDGKRZM-5.08
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG

NB2EDGGB-5.08	NB2EDGGBM-5.08	NB2EDGVK-5.08	NB2EDGVKM-5.08	NB2EDGUVK-5.08	NB2EDGUVKM-5.08
					
5.08mm	5.08mm	5.08mm	5.08mm	5.08mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGRK-5.0/5.08	NB2EDGRKM-5.0/5.08	NB2EDGURK-5.0/5.08	NB2EDGURKM-5.0/5.08	NB2EDGKP-5.0	NB2CDGM-5.08
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/10A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	
NB2CDGVC-5.08	NB2CDGRC-5.08	NB2CDGRC-5.08	NB2CDGRM-5.08	NBHT396K-3.96	NBHT396V-3.96
					
5.08mm	5.08mm	5.08mm	5.08mm	3.96mm	3.96mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
				26-16AWG	
NBHT396R-3.96	NBHT508K-5.08	NBHT508V-5.08	NBHT508R-5.08	NB3EDGK-7.62	NB3EDGKM-7.62
					
3.96mm	5.08mm	5.08mm	5.08mm	7.62mm	7.62mm
300V/8A	300V/10A	300V/10A	300V/10A	300V/30A	300V/30A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
	22-14AWG			28-10AWG	28-10AWG
NB3EDGVC-7.62	NB3EDGVM-7.62	NB3EDGVZM-7.62	NB3EDGRC-7.62	NB3EDGRM-7.62	NB3EDGRZM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/30A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P


NB3CDGM-7.62	NB3EDGKH-7.62	NB3EDGKHM-7.62	NB3EDGVH-7.62	NB3EDGRH-7.62	NB3EDGRRH-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/30A	300V/41A	300V/41A	300V/41A	300V/41A	300V/41A
2P-24P	2P-12P	2P-12P	2P-12P	2P-12P	2P-12P
	24-8AWG	24-8AWG			
NB3EDGVHM-7.62	NB3EDGRHM-7.62	NB3EDGRRHM-7.62	NB3EDGK-10.16	NB3EDGKM-10.16	NB3EDGVC-10.16
					
7.62mm	7.62mm	7.62mm	10.16mm	10.16mm	10.16mm
300V/41A	300V/41A	300V/41A	600V/55A	600V/55A	600V/55A
2P-12P	2P-12P	2P-12P	2P-18P	2P-16P	2P-18P
			20-6AWG	20-6AWG	
NB3EDGRC-10.16	NB3EDGRRC-10.16	NB3EDGVM-10.16	NB3EDGRM-10.16	NB3EDGRRM-10.16	NBPCP-3.5
					
10.16mm	10.16mm	10.16mm	10.16mm	10.16mm	3.5mm
600V/55A	600V/55A	600V/55A	600V/55A	600V/55A	150V/8A
2P-18P	2P-18P	2P-16P	2P-16P	2P-16P	2P-24P
NBM02-3.81	NBM01-5.08	NB2EDGLF-THR-5.0	NB2EDGRF-THR-5.0	NB9KS-5.0	NB9KS-7.5
					
		5.0mm,5.08mm	5.0mm,5.08mm	5.0mm	7.5mm
		300V/20A	300V/20A	300V/16A	300V/16A
		2P-24P	2P-24P	2P-14P	2P-12P
		30-12 AWG	30-12 AWG	28-12AWG	28-12AWG
NB9RC-5.0	NB9RC-7.5	NB15EDGKNHB-2.54	NB15EDGKNHBG-2.54	NB15EDGKNHBM-2.54	NB15EDGVHSC-THR-2.54
					
5.0mm	7.5mm	2.54mm	2.54mm	2.54mm	2.54mm
300V/16A	300V/16A	150V/5A	150V/5A	150V/5A	150V/5A
2P-14P	2P-12P	2P-24P	2P-24P	2P-24P	2P-24P
		30-20 AWG	30-20 AWG	30-20 AWG	

NB15EDGVHSM-THR-2.54	NB15EDGRHSC-THR-2.54	NB15EDGRHSM-THR-2.54	NB2EDGKJ-4.0	NB2EDGJ-4.0
				
2.54mm	2.54mm	2.54mm	4.0mm	4.0mm
150V/5A	150V/5A	150V/5A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2-24P	2-24P
			28-14AWG	





弹簧式接线端子 PCB SPRING TERMINAL BLOCK

弹簧式PCB接线端子，接线分笼式和V形弹簧连接方式，具有抗振特点，可以连接截面为 0.08mm^2 至 16mm^2 的所有类型的导线，间距 2.5mm 至 10.16mm 可供选择，可以同螺钉连接PCB接线端子相互替代使用，增加了灵活性。产品设计符合IEC60998、UL1059、UL486E、CSA C22.2 No.158等国际标准。

Spring PCB terminal, wire cage and V-shaped spring connection, with vibration resistance, can be connected to a cross-section of 0.08mm^2 to 16mm^2 of all types of wire, spacing 2.5mm to 10.16mm to choose, can be used with screw connected PCB terminal mutually alternative, increased flexibility. The product design conforms to IEC60998, UL1059, UL486E, CSA C22.2 No.158 and other international standards.



NB141V-2.54	NB141R-2.54	NB142V-5.0/5.08	NB142R-5.0/5.08	NB142V-7.5、7.62	NB142R-7.5/7.62
					
2.54mm	2.54mm	2.5mm,2.54mm	2.5mm,2.54mm	7.5mm,7.62mm	7.5mm,7.62mm
150V/4A	150V/4A	300V/10A	300V/10A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	2P-24P	2P-24P
26-18AWG	26-18AWG	24-14AWG	24-14AWG	24-14AWG	24-14AWG
NB211V-2.5	NB211V-2.54	NB211R-2.5	NB211R-2.54	NB211V-5.0	NB211R-5.0
					
2.5mm	2.54mm	2.5mm	2.54mm	5.0mm	5.0mm
150V/5A	150V/5A	150V/5A	150V/5A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	1P-30P	1P-30P
26-18AWG	26-18AWG	26-18AWG	26-18AWG	26-14AWG	26-14AWG
NB212S-THR-3.5	NB212S-THR-5.0	NB212V-THR-3.5/3.81	NB212R-THR-3.5/3.81	NB212VS-THR-3.5/3.81	NB212RS-THR-3.5/3.81
					
3.5mm	5.0mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG
NB212V-THR-5.0/5.08	NB212R-THR-5.0/5.08	NB212VS-THR-5.0/5.08	NB212RS-THR-5.0/5.08	NB213A-2.5/2.54	NB213B-2.5/2.54
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	2.5mm,2.54mm	2.5mm,2.54mm
300V/10A	300V/10A	300V/10A	300V/10A	150V/4A	150V/4A
2P-24P	2P-24P	2P-24P	2P-24P	1P-30P	1P-30P
24-16AWG	24-16AWG	24-16AWG	24-16AWG	28-20AWG	28-20AWG
NB235A-3.81	NB235B-3.81	NB235A-5.0	NB235B-5.0	NB236-3.81	NB236-5.0
					
3.81mm	3.81mm	5.0mm	5.0mm	3.81mm	5.0mm
300V/5A	300V/5A	300V/5A	300V/5A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	1P-24P	1P-24P
22-18AWG	22-18AWG	22-18AWG	22-18AWG	20-16AWG	20-16AWG


NB236-7.5	NB237-5.0	NB237-7.5/10.0	NB238-5.08	NB239R-7.5	NB239V-7.5
					
7.5mm	5.0mm	7.5mm,10.0mm	5.08mm	7.5mm	7.5mm
300V/10A	300V/12A	300V/12A	300V/10A	600V/40A	600V/40A
1P-24P	1P-30P	2P-18P	2P-12P	2P-18P	2P-18P
20-16AWG	20-12AWG	20-12AWG	22-16AWG	24-8AWG	24-8AWG
NB239R-10.0	NB239V-10.0	NB240S-7.5	NB240R-10.0	NB240R-15.0	NB2404V-5.0
					
10.0mm	10.0mm	7.5mm	10.0mm	15.0mm	5.0mm
600V/66A	600V/66A	600V/41A	600V/51A	600V/51A	300V/20A
2P-12P	2P-12P	2P-24P	2P-18P	2P-18P	1P-24P
18-4AWG	18-4AWG	24-10AWG	18-4AWG	18-4AWG	24-12AWG
NB2404R-5.0	NB2404S-5.0	NB2406V-7.5	NB2406R-7.5	NB2416V-10.0	NB2416R-10.0
					
5.0mm	5.0mm	7.5mm	7.5mm	10.0mm	10.0mm
300V/20A	300V/20A	600V/41A	600V/41A	600V/66A	600V/66A
1P-24P	1P-24P	2P-24P	2P-24P	2P-12P	2P-12P
24-12AWG	24-12AWG	24-8AWG	24-8AWG	18-4AWG	18-4AWG
NB241V-3.5	NB241R-3.5	NB241V-5.0	NB241R-5.0	NB242-5.0	NB242-7.5
					
3.5mm	3.5mm	5.0mm	5.0mm	5.0mm	7.5mm
300V/10A	300V/10A	300V/20A	300V/20A	300V/20A	300V/20A
1P-30P	1P-30P	1P-30P	1P-30P	1P-24P	2P-24P
24-16AWG	24-16AWG	24-12AWG	24-12AWG	28-12AWG	28-12AWG
NB243A-5.0	NB245-5.0/5.08	NB245-7.5/7.62	NB245T2-5.0/5.08	NB245T2-7.5/7.62	NB245T2-10.0/10.16
					
5.0mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	300V/15A	300V/15A	300V/10A	300V/10A	300V/10A
2P-30P	1P-30P	2P-30P	2x(2P-24P)	2x(2P-16P)	2x(2P-12P)
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG































NB245T3-5.0/5.08	NB245T3-7.5/7.62	NB245T3-10.0/10.16	NB245T4-5.0/5.08	NB245T4-7.5/7.62	NB245T4-10.0/10.16
					
5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
3x(2P-24P)	3x(2P-16P)	3x(2P-12P)	4x(2P-24P)	4x(2P-16P)	4x(2P-12P)
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB246-7.5	NB246-10.0	NB247-5.0	NB247-7.5	NB249-3.81/5.08	NB250-2.5
					
7.5mm	10.0mm	5.0mm	7.5mm	3.81mm,5.08mm	2.5mm
300V/30A	300V/30A	300V/8A	300V/8A	300V/10A	300V/4A
1P-16P	2P-12P	2P-24P	2P-24P	2P-24P	1P-30P
24-10AWG	24-10AWG	20-16AWG	20-16AWG	28-16AWG	28-20AWG
NB250-3.5	NB250T-5.0	NB251-2.5/2.54	NB252-5.0	NB252T2-5.0	NB252T3-5.0
					
3.5mm	5.0mm	2.5mm,2.54mm	5.0mm	5.0mm	5.0mm
300V/5A	300V/10A	150V/4A	300V/10A	300V/10A	300V/10A
1P-30P	2x(1P-30P)	1P-30P	1P-24P	2x(1P-24P)	3x(1P-24P)
22-18AWG	20-16AWG	28-20AWG	28-16AWG	28-16AWG	28-16AWG































栅栏式接线端子 BARRIER TERMINAL BLOCK































栅栏式接线端子, 接线直观简明, 分前后贯通和上下贯通接线方式, 可以连接截面为 0.5mm^2 至 50mm^2 的所有类型的导线, 间距 $6.35\sim 27\text{mm}$ 可提供有盖、无盖, 有无固定孔等款式。产品设计符合IEC60998, UL1059等国际标准。

Fence type terminal, the connection is intuitive and concise, divided into front and back through and up and down through the connection mode, can be connected with a cross-section of 0.5mm^2 to 50mm^2 of all types of wires, the spacing $6.35\sim 27\text{mm}$ can be provided with cover, no cover, with or without fixed holes and other styles. The product design conforms to IEC60998, UL1059 and other international standards.






NB25C-7.62	NB25S-7.62	NB25H-7.62	NB25R-7.62	NB25CM-7.62	NB25SM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-26P	2P-26P	2P-26P	2P-26P	2P-26P	2P-26P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
NB25HM-7.62	NB25RM-7.62	NB35C-8.25	NB35S-8.25	NB35H-8.25	NB35R-8.25
					
7.62mm	7.62mm	8.25mm	8.25mm	8.25mm	8.25mm
300V/15A	300V/15A	300V/20A	300V/20A	300V/20A	300V/20A
2P-26P	2P-26P	2P-24P	2P-24P	2P-24P	2P-24P
22-14AWG	22-14AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB35CM-8.25	NB35SM-8.25	NB35HM-8.25	NB35RM-8.25	NB45C-9.5	NB45S-9.5
					
8.25mm	8.25mm	8.25mm	8.25mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-24P	2P-24P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB45H-9.5	NB45R-9.5	NB45CM-9.5	NB45SM-9.5	NB45HM-9.5	NB45RM-9.5
					
9.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-24P	2P-24P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB55C-10.0	NB55S-10.0	NB55H-10.0	NB55R-10.0	NB55CM-10.0	NB55SM-10.0
					
10.0mm	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-24P	2P-24P	2P-24P	2P-24P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG

NB55HM-10.0	NB55RM-10.0	NB65C-11.0	NB65S-11.0	NB65H-11.0	NB65R-11.0
					
10.0mm	10.0mm	11.0mm	11.0mm	11.0mm	11.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-24P	2P-24P	2P-24P	2P-24P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB65CM-11.0	NB65SM-11.0	NB65HM-11.0	NB65RM-11.0	NB28C-7.62	NB28S-7.62
					
11.0mm	11.0mm	11.0mm	11.0mm	7.62mm	7.62mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/15A	300V/15A
2P-22P	2P-22P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-14AWG	22-14AWG
NB28H-7.62	NB28R-7.62	NB28CM-7.62	NB28SM-7.62	NB28HM-7.62	NB28RM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-22P	2P-22P	2P-20P	2P-20P	2P-20P	2P-20P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
NB38C-8.25	NB38S-8.25	NB38S-8.25	NB38R-8.25	NB38CM-8.25	NB38SM-8.25
					
8.25mm	8.25mm	8.25mm	8.25mm	8.25mm	8.25mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB38HM-8.25	NB38RM-8.25	NB48C-9.5	NB48S-9.5	NB48H-9.5	NB48R-9.5
					
8.25mm	8.25mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG

NB48CM-9.5	NB48SM-9.5	NB48HM-9.5	NB48RM-9.5	NB58C-10.0	NB58S-10.0
					
9.5mm	9.5mm	9.5mm	9.5mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB58H-10.0	NB58R-10.0	NB58CM-10.0	NB58SM-10.0	NB58HM-10.0	NB58RM-10.0
					
10.0mm	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB68C-11.0	NB68S-11.0	NB68H-11.0	NB68R-11.0	NB68CM-11.0	NB68SM-11.0
					
11.0mm	11.0mm	11.0mm	11.0mm	11.0mm	11.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB68HM-11.0	NB68RM-11.0	NB78C-13.0	NB78H-13.0	NB78R-13.0	NB78CM-13.0
					
11.0mm	11.0mm	13.0mm	13.0mm	13.0mm	13.0mm
300V/20A	300V/20A	600V/40A	600V/40A	600V/40A	600V/40A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-18P
22-12AWG	22-12AWG	18-10AWG	18-10AWG	18-10AWG	18-10AWG
NB78HM-13.0	NB78RM-13.0	NB06-7.62	NB16-6.35	NB16A-6.35	NB16R-6.35
					
13.0mm	13.0mm	7.62mm	6.35mm	6.35mm	6.35mm
600V/40A	600V/40A	300V/15A	300V/10A	300V/10A	300V/10A
2P-18P	2P-18P	2P-22P	2P-30P	2P-30P	2P-30P
18-10AWG	18-10AWG	22-14AWG	22-16AWG	22-16AWG	22-16AWG

NB26-8.5	NB36-8.25	NB36SG-8.25	NB36A-8.25	NB36G-8.25	NB46-9.5
					
8.5mm	8.25mm	8.25mm	8.25mm	8.25mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/30A
2P-26P	2P-26P	2P-26P	2P-26P	2P-26P	2P-20P
22-14AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-10AWG
NB46SG-9.5	NB46A-9.5	NB46G-9.5	NB46GA-9.5	NB46GX-9.5	NB46GG-9.5
					
9.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/30A
2P-26P	2P-20P	2P-12P	2P-12P	2P-9P	2P-9P
22-10AWG	22-10AWG	22-10AWG	22-10AWG	22-10AWG	22-10AWG
NB66-11.1	NB66A-11.1	NB45X-9.5	NB48RW-9.5	NB58RW-10.0	NB88-16.0
					
11.1mm	11.1mm	9.5mm	9.5mm	10.0mm	16.0mm
300V/30A	300V/30A	300V/20A	300V/20A	300V/20A	600V/100A
2P-23P	2P-23P	2P-22P	2P-22P	2P-20P	2P-16P
22-10AWG	22-10AWG	22-12AWG	22-12AWG	22-12AWG	14-3AWG
NB49M-9.5	NB69M-11.0	NB89M-14.0	NB10-8.5	NB10C-8.5	NB10L-8.5
					
9.5mm	11.0mm	14.0mm	8.5mm	8.5mm	8.5mm
300V/20A	300V/25A	600V/30A	300V/20A	300V/20A	300V/20A
2P-26P	2P-26P	2P-22P	2P-15P	2P-15P	2P-15P
22-12AWG	22-12AWG	22-10AWG	22-12AWG	22-12AWG	22-12AWG
NB10-11.0	NB10C-11.0	NB10L-11.0	NB10-13.0	NB10C-13.0	NB10L-13.0
					
11.0mm	11.0mm	11.0mm	13.0mm	13.0mm	13.0mm
300V/30A	300V/30A	300V/30A	600V/50A	600V/50A	600V/50A
2P-15P	2P-15P	2P-15P	1P-15P	1P-15P	1P-15P
22-10AWG	22-10AWG	22-10AWG	22-8AWG	22-8AWG	22-8AWG


NB10-16.0	NB10C-16.0	NB10L-16.0	NB10-21.0	NB10C-21.0	NB10L-21.0
					
16.0mm	16.0mm	16.0mm	21.0mm	21.0mm	21.0mm
600V/65A	600V/65A	600V/65A	600V/115A	600V/115A	600V/115A
1P-15P	1P-15P	1P-15P	1P-15P	1P-15P	1P-15P
14-6AWG	14-6AWG	14-6AWG	8-2AWG	8-2AWG	8-2AWG
NB10-27.0	NB10C-27.0	NB10L-27.0	NBCZX7620-7.62	NBCZ8500-8.5	NBEM-1-11.0
					
27.0mm	27.0mm	27.0mm	7.62mm	8.5mm	11.0mm
600V/170A	600V/170A	600V/170A	300V/15A	300V/15A	300V/20A
1P-15P	1P-15P	1P-15P	2P-20P	2P-25P	3P
10-2/0AWG	10-2/0AWG	10-2/0AWG	22-14AWG	22-14AWG	22-12AWG
NBEM-1A-11.0	NBEM-2-11.0	NBEM-2A-11.0	NBEM-3-11.5	NBEM-4-8.8	NBEM-5-12.5
					
11.0mm	11.0mm	11.0mm	11.5mm	8.8mm	12.5mm
300V/20A	300V/20A	300V/20A	300V/30A	300V/15A	300V/30A
3P	3P	3P	3P	4P	3P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-14AWG	22-10AWG
NBEM-51H-12.5	NBEM-52H-12.5	NBEM-21-11.0	NBTB15-9.0	NBTBD15-9.0	NB703-05-8.4
					
12.5mm	12.5mm	11.0mm	9.0mm	9.0mm	8.4mm
300V/30A	300V/30A	300V/30A	300V/20A	300V/20A	500V/15A
3P	3P	2x(2P-4P)	3P,12P	3P,12P	4P-16P
22-10AWG	22-10AWG	22-10AWG	22-12AWG	22-12AWG	18-14AWG
NB703-05-10.0	NB750-05	NB1000-05			
					
10.0mm	7.5mm	10.0mm			
660V/25A	660V/15A	660V/24A			
4P-16P	2P-20P	2P-16P			
30-12AWG	20-14AWG	30-12AWG			































MCS多用途连接器































DIN RAIL TERMINAL BLOCK

MCS多用途连接器系列适用于单股, 多股及细多股线的连接, 使用高弹性的优质的弹簧夹, 具有接线安全, 快捷, 可靠, 适用于线到线, 线到板, 板到板和板到线的连接, 带有防插错位定销, 导通测试孔, 并提供多种定位固定方式, 应用最为广泛的连接器之一, 间距2.5mm至7.62mm可供选择, 产品设计符合IEC60998、UL1059、UL486E、CSA C22.2 No.158等国际标准。

MCS multi-purpose connector series is suitable for single strand, multi-strand and thin multi-strand wire connection, the use of high elastic high-quality spring clamp, with wiring safety, fast, reliable, suitable for wire to wire, wire to board, board to board and board to line connection, with anti-insertion dislocation pin, conductive test hole, and provide a variety of positioning and fixing methods, one of the most widely used connectors, The pitch from 2.5mm to 7.62mm is available, and the product design complies with international standards such as IEC60998, UL1059, UL486E and CSA C22.2 No.158.



NB0401/0501-01XX	NB0401/0501-02XX	NB0401/0501-03XX	NB0401/0501-04XX	NB0401/0501-05XX	NB0401/0501-06XX
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0401/0501-07XX	NB0401/0501-08XX	NB0601/0701-01XX	NB0601/0701-02XX	NB0601/0701-03XX	NB0601/0701-04XX
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0601/0701-05XX	NB0601/0701-06XX	NB0601/0701-07XX	NB0601/0701-08XX	NB0402/0502-01XX	NB0402/0502-02XX
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG		
NB0402/0502-03XX	NB0402/0502-04XX	NB0402/0502-05XX	NB0402/0502-06XX	NB0402/0502-07XX	NB0402/0502-08XX
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
NB0602/0702-01XX	NB0602/0702-02XX	NB0602/0702-03XX	NB0602/0702-04XX	NB0602/0702-05XX	NB0602/0702-06XX
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P


NB0602/0702-07XX	NB0602/0702-08XX	NB0403/0503-01XX	NB0403/0503-02XX	NB0403/0503-03XX	NB0403/0503-04XX
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
		28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0403/0503-05XX	NB0403/0503-06XX	NB0603/0703-01XX	NB0603/0703-02XX	NB0603/0703-03XX	NB0603/0703-04XX
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0603/0703-05XX	NB0603/0703-06XX	NB0404/0504-01XX	NB0404/0504-02XX	NB0404/0504-03XX	NB0404/0504-04XX
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0604/0704-01XX	NB0604/0704-02XX	NB0604/0704-03XX	NB0604/0704-04XX	NB0405/0505-01XX	NB0405/0505-02XX
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG		
NB0405/0505-03XX	NB0405/0505-04XX	NB0605/0705-01XX	NB0605/0705-02XX	NB0605/0705-03XX	NB0605/0705-04XX
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P

NB0101-01XX	NB0101-02XX	NB0201/0301-01XX	NB0201/0301-02XX	NB0102-01XX	NB0102-02XX
					
2.5mm	2.5mm	3.5mm,3.81mm	3.5mm,3.81mm	2.5mm	2.5mm
150V/4A	150V/4A	300V/10A	300V/10A	150V/4A	150V/4A
2P-12P	2P-12P	2P-24P	2P-24P	2P-12P	2P-12P
28-20AWG	28-20AWG	28-14AWG	28-14AWG		
NB0202/0302-01XX	NB0202/0302-02XX	NB0103-01XX	NB0203/0303-01XX	NB0203/0303-02XX	NB0406-01XX
					
3.5mm,3.81mm	3.5mm,3.81mm	2.5mm	3.5mm,3.81mm	3.5mm,3.81mm	5.0mm
300V/10A	300V/10A	150V/4A	300V/10A	300V/10A	300V/15A
2P-24P	2P-24P	2P-12P	2P-24P	2P-24P	2P-24P
		28-20AWG	28-14AWG	28-14AWG	28-12 AWG
NB0406-02XX	NB0406-03XX	NB0406-04XX	NB0406-05XX	NB0406-06XX	
					
5.0mm	5.0mm	5.0mm	5.0mm	5.0mm	
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	
28-12 AWG	28-12 AWG	28-12 AWG	28-12 AWG	28-12 AWG	


配件/定制/OEM ACCESSORIES/CUSTOMIZATION/OEM

强大的技术研发中心、模具制造中心,快速把握客户需求,为客户提供OEM/ODM产品设计及制造。

Strong technology research and development center, mold manufacturing center, quickly grasp customer needs, to provide customers with OEM/ODM product design and manufacturing.



NBT01	NBT02	NBT04	NBT05	NBT06	NBT07
					
NBG01	NBG03-5.0	NBG03-7.5	NBG04-3.81	NB2EDG-PWI	NB2EDG-PWP
					
NB15EDG-PWP	NB15EDG-PWI-2.5	NB3EDG-PWI	NB5.0-09-02	NB6.0-04D	NB6.0-05D
					
NB6.5-02D	NB6.5-02D				
					



佳绩电子科技(宁波)有限公司

Jiaji Electronic Technology (Ningbo) Co., LTD

地址:浙江省宁波市海曙区新港路8号

Add: No.8 Xingang Road, Haishu District, Ningbo, Zhejiang.

邮编 / P. C : 315000

邮箱 / E-mail: shangwu@nbjiaji.com

电话 / T e l : 0574-89067759

传真 / F a x : 0574-55842261

如需了解更多信息, 敬请访问佳绩电子官网网站:

www.nbjiaji.com

